

Fiber Glass Systems, L.P
P.O. Box 37389
2425 S.W. 36th
San Antonio, Texas 78237 USA
210-434-5043
Fax: 210-434-7543
www.starfiberglass.com

FiberGlass Systems™
A Varco Company

CHEMICAL PRODUCT & COMPANY IDENTIFICATION

24-Hour Emergency Phone Number:

Chem-Tel 800-255-3024 North America

Chem-Tel collect: 813-248-0585 Outside North America

Product: Trewax Clear Paste Wax

Effective Date: 7/11/03

Date Printed 7/11/03 MSD: SA00013

Distributed by: Fiber Glass Systems, L.P.,
2425 SW 36th Street
San Antonio Texas 78237

Customer Information: 210-434-5043

Page 1 of 3 MATERIAL SAFETY DATA SHEET Revised 9/20/01

CARROLL COMPANY 2900 West Kingsley Road Garland, TX 75041 1-972-
278-1304

EMERGENCY TELEPHONES Infotrac 24 Hours 1-800-535-5053 1-800-527-
5722

SECTION 1 Product

NAME: TREWAX CLEAR PASTE WAX-011216

Product Code 605

Product Type Paste Wax

Health Flammability Reactivity PPE

0 0 0 2

Health Haz Fire Haz Reactivity Personal Protection

0= minimal 0= will not burn 0= none 0= not necessary

1= slightly haz 1= FP>141F 1= mild 1= goggles

2= hazardous 2= FP=>73F=<141F 2= strong 2= goggles, gloves

3= serious haz 3= FP<73F 3= goggles, gloves,

4= severe haz 4= BP<95F protective clothes

FP by PMCC 4= goggles, gloves

* DGIS & respirator

SECTION 2 - HAZARDOUS INGREDIENTS

Petroleum Distillate CAS #64742-47-8 WT%=74

SECTION 3 - HEALTH HAZARD & FIRST AID

1. Acute Health Effect None

2. Chronic Health Effects None

3. Carcinogen NO

4. Primary Entry Routes:

a) Skin & Eyes: Prolonged contact with the skin may cause dryness.

Eye contact may be slightly irritating.

b) Ingestion: May be harmful.

c) Inhalation: Not considered an entry route.

5. First Aid:

a) Skin: Remove contaminated clothing-wash skin with soap & water.
If irritation persists get medical attention.

b) Eyes: Wash eyes with large volumes of water for at least 15
minutes

while lifting the upper and lower eyelids and rotating the eyeball.
Get

medical attention if irritation persists.

c) Ingestion: Give large volumes of water. Do not induce vomiting.
Get

medical attention.

d) Inhalation: N/A

Page 2 of 3 PC 605

SECTION 4 Physical & Chemical Characteristics

1. Physical State Paste

2. Color Pale cream

3. Odor Solvent

4. Solubility in water Insoluble

5. Specific Gravity (H₂O=1.0) 0.754

6. pH N/A

7. Freezing Point N/A

8. Flash Point N/A

9. Vapor Pressure 0.5

SECTION 5 Fire and Explosion Hazard

1. Flash Point N/A

2. Extinguishing Media Dry Chemical, Foam, CO₂

3. Special Fire Fighting Procedures None

4. Unusual Fire & Explosion Hazard Fire fighters should observe all
precautions that apply to any fire where chemicals are stored.

SECTION 6 - Reactivity Data

1. Stability Stable

2. Conditions to Avoid None Known

SECTION 7 - SPILL OR LEAK PROCEDURES

1. If product leaks or spills - Soak-up with dry absorbent. Dispose
in

suitable container.

2. Abide by Federal, State, and Local regulations.

SECTION 8 - PERSONAL PROTECTION

None Required

SECTION 9 - SPECIAL PRECAUTIONS

1. Store containers tightly closed and in an upright position.
 2. Do not destroy or deface the label.
-

SECTION 10 - SECTION 313 SUPPLIER NOTIFICATION (SARA)

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

None

Page 3 of 3 PC 605

SECTION 11 Toxicological Information

None

SECTION 12 Ecological Information

None

SECTION 13 Disposal Considerations

1. See Section 7 above.
-

SECTION 14 DOT Transport Information

1. This product is in Package Group II.
 2. 2.2 lbs. containers and smaller are classed as CONSUMER COMMODITY ORM-D thus are exempt from regulation.
 3. Packages larger than 2.2 lbs. ARE regulated.
 4. The Bill of Lading
Proper Shipping Name Class ID PG Hazardous Material
Flammable solids, organic, 4.1 UN 1325 II n.o.s. (contains Petroleum distillates)
-

SECTION 15 Other Regulatory Information

All ingredients appear on the TSCA Inventory List.

Fiber Glass Systems, L.P
P.O. Box 37389
2425 S.W. 36th
San Antonio, Texas 78237 USA
210-434-5043
Fax: 210-434-7543
www.starfiberglass.com

FiberGlassSystems™
A Varco Company

SECTION 16 Other Information

1. N/A = Not Applicable
2. *Dangerous Goods Identification System (DGIS)
3. PMCC = Pensky Martin Closed Cup
4. Manufacturer believes that the information given here is accurate. The suggested procedures are based on experience and common sense and are not necessarily all-inclusive of every conceivable circumstance.