

**LINE PIPE - LOW PRESSURE**

APPLICATION High Temperature Salt Water Lines  
LOCATION Mississippi  
PRODUCT 3" and 4" 450 PSI Super Seal with Viton O-ring  
QUANTITY 40,000 feet 3"  
20,000 feet 4"  
SERVICE Operating Pressure: 200 PSI  
CONDITIONS Operating Temperature: 185°F (85°C)

SS-002  
ISSUED 08/28/02

---

**LINE PIPE - LOW PRESSURE**

APPLICATION Firewater Ring, 1996  
LOCATION Dubai, UAE  
PRODUCT 4" & 6" 450 PSI Super Seal  
QUANTITY 3,000 Meters  
SERVICE Operating Temperature: 60°C  
CONDITIONS

SS-003  
ISSUED 08/28/02

---

**LINE PIPE - LOW PRESSURE**

APPLICATION Flow Lines  
LOCATION Pumpkin Center, Texas - 2002  
PRODUCT 3" 500 PSI Super Seal  
QUANTITY 13,000 ft.  
SERVICE Produced Oil & Gas  
CONDITIONS Operating Pressure: 280 PSI  
Operating Temperature: 85°F

SS-004  
ISSUED 08/28/02

---

## LINE PIPE - LOW PRESSURE

APPLICATION Saltwater Injection Lines  
LOCATION Buckeye, New Mexico  
PRODUCT 10" 300 PSI Super Seal  
SERVICE Operating Pressure: 150 PSI  
CONDITIONS Operating Temperature: 80-90°F

SS-005  
ISSUED 08/28/02

---

## LINE PIPE - LOW PRESSURE

APPLICATION CO<sub>2</sub> Gas  
LOCATION Argentina  
PRODUCT 6", 8", 10" & 12" 500 PSI Super Seal  
(Designed according to API 15HR Specifications)  
QUANTITY 12,105 feet 6"  
9531 feet 8"  
38,304 feet 10"  
20,898 feet 12"  
SERVICE Installation date 2000  
CONDITIONS Operating pressure: 4 BAR  
Operating temperature: 50°C

SS-006  
ISSUED 08/28/02

---

## LINE PIPE - LOW PRESSURE

APPLICATION Salt water with entrained oil and gas 20% to 95% CO<sub>2</sub> with Methane and H<sub>2</sub>S  
LOCATION Bahrain, Iraq  
PRODUCT 6" 300 PSI Super Seal  
QUANTITY 6,000 Meters  
SERVICE Operating Temperature 60°C  
CONDITIONS

SS-007  
ISSUED 08/28/02

---

## LINE PIPE - LOW PRESSURE

APPLICATION Injections Line  
LOCATION Ames, OK - 1999  
PRODUCT 3" & 4" 450 PSI Super Seal  
SERVICE Operating Pressure: 250 PSI  
CONDITIONS Operating Temperature: Ambient

SS-008  
ISSUED 08/28/02

## LINE PIPE - LOW PRESSURE

APPLICATION CO<sub>2</sub> Gas, 1985  
LOCATION West Texas  
PRODUCT 10", 12", 14" and 16" Red Thread II - 150 PSI per D.O.T. requirements  
QUANTITY 18,800 feet 10"  
28,600 feet 12"  
9,700 feet 14"  
16,900 feet 16"  
SERVICE Installation date 1985  
CONDITIONS Operating pressure 100 PSI  
Operating temperature 125°F

G7200  
ISSUED 1M400

---

## LINE PIPE - LOW PRESSURE

APPLICATION Salt water with entrained oil and gas 20% to 95% CO<sub>2</sub> with Methane and H<sub>2</sub>S  
LOCATION Wyoming, 1987  
PRODUCT 10", 12" and 16" 300 PSI Red Thread II  
QUANTITY 15,600 feet 10"  
3,900 feet 12"  
19,500 feet 16"  
SERVICE Operating Temperature 180°F Maximum

G7200  
ISSUED 1M400

---

## LINE PIPE - LOW PRESSURE

APPLICATION 97% CO<sub>2</sub> Gas gathering  
LOCATION New Mexico, 1993  
PRODUCT 4", 6", 8", 10", 12", 14" and 16" 150 PSI Red Thread II  
QUANTITY 4,900 feet 4"  
74,300 feet 6"  
89,900 feet 8"  
79,700 feet 10"  
73,100 feet 12"  
69,700 feet 14"  
12,500 feet 16"  
SERVICE Operating Temperature 180°F Maximum  
CONDITIONS

G7200  
ISSUED 1M400

## LINE PIPE - LOW PRESSURE

APPLICATION Produced Oil with entrapped salt water, H<sub>2</sub>S and CO<sub>2</sub>  
LOCATION Middle East, 1993  
PRODUCT Red Thread II  
QUANTITY 100,650 feet 12"  
45,500 feet 20"  
SERVICE Operating Pressure: 290 PSI  
CONDITIONS Operating Temperature: Ambient (120°F maximum)

G7200  
ISSUED 1M400



### HEADQUARTERS

P.O. Box 37389  
2425 S.W. 36th Street  
San Antonio, Texas 78237  
(210) 434-5043 Phone  
(210) 434-7543 Fax  
www.starfiberglass.com  
E-Mail: info@starfiberglass.com

### CHINA

No. 484, Hashuang Rd.  
Wanggang Town  
Nangang District, Harbin 150088  
(86) 451-6709924 Administration  
(86) 451-6700098 Sales  
(86) 451-6709924 Fax  
E-Mail: sunkathy@public.hr.hl.cn

### MIDDLE EAST

P.O. Box 61335  
Jebel Ali Free Zone  
Dubai  
United Arab Emirates  
(9714) 8817616 Phone  
(9714) 8817790 Fax  
E-Mail: Star3@emirates.net.ae